

Issue date 08-May-2019

Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name Chemical name CHAMPION SPRAYON CARPET SPOT & STAIN REMOVER

7-7872-5

Other means of identification

Product code Synonyms

FG 438-5146-9

Spot and stain remover

Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against Carpets and upholstered surfaces.

DO NOT USE ON FLOORS

Details of the supplier of the safety data sheet

Supplier Address Chase Products Co. Manufacturer Address

2727 Gardner Road Broadview, IL 60155 Chase Products Co. 2727 Gardner Road

Broadview, IL 60155

708-865-1000

708-865-1000

Emergency Telephone Number

Company Phone Number

708-865-1000

300

24 Hour Emergency Phone Number 1-800-255-3924

Emergency telephone

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning

hazard statements

HARMFUL IF INHALED

May cause an allergic skin reaction

Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Clear liquid that will be

Physical State Aerosol

aerosolized.

Odor Perfumed.

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

3.88% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Common Name Synonyms Chemical Family Spot and stain remover. Spot and stain remover.

Chemical Family Formula

MIXTURES. 7-7872-5

Chemical nature

Aqueous solution of organic solvent.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	75-80	*
2-Butoxyethanol	111-76-2	5-10	*
N-Butane	106-97-8	1-5	*
Dimethyl Glutarate	1119-40-0	1-5	*
Propane	74-98-6	1-5	*
Dimethyl Adipate	627-93-0	<1	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

4. First aid measures

FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

In case of contact, immediately flush skin with plenty of water. Wash skin with soap and water. If irritation develops, consult a physician.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Inhalation

If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get

medical attention if injury develops.

Ingestion

Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms

Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation. Chronic: 2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage.

Indication of any immediate medical attention and special treatment needed

Note to physicians

None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

durted is

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use with adequate general or local exhaust ventilation.

For emergency responders

Remove all sources of ignition.

Environmental precautions

Environmental precautions

Contains d-limonene which is consider as marine pollutant by DOT.

Methods and material for containment and cleaning up

Methods for Containment

Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling

Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B) .

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m ³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Conventional eyeglasses to guard against splashing.

Skin and Body Protection

Rubber, vinyl or household type gloves required.

Respiratory protection

Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow

label directions for correct use of the product...

General hygiene considerations

Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State

Appearance

Color

Aerosol

Clear liquid that will be aerosolized.

clear

Odor Odor threshold

Remarks • Method

No information available

No information available No information available

No information available

Perfumed.

No information available

Property

Melting point/freezing point Boiling point/boiling range

Flash Point

Values 10.4 +/- 0.5 Not applicable

Water 212 °F/100 °C This product is very similar in

composition to another product which was tested for Enclosed Space Ignition Test. Since that products is a Category 2 flammable aerosol, this product is

also considered Category 2 flammable

Not available

Not available

0.996 concentrate

aerosol. Faster than butyl acetate

Evaporation Rate Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limits Lower Flammability Limit

Vapor pressure

Vapor Density **Relative Density** Water solubility

Solubility in other solvents Partition coefficient

Autoignition Temperature Decomposition temperature

Kinematic viscosity Dynamic viscosity

Explosive properties Oxidizing properties No information available No information available

Other Information

Softening point Molecular weight

VOC content (%) Density

Bulk Density

No information available No information available

14.5 8.29 lb/gal

No information available

10. Stability and Reactivity

Reactivity

Not applicable

Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

7

Temperatures above 130 °F may cause cans to burst with force.

3.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information

Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but

consider unlikely).

Inhalation

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

's IL 50 '.

No information available

Soluble in water

nausea.

Eye Contact

Can cause irritation after contact with eyes.

Skin contact

May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Ingestion

This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red

blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	
2-Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
N-Butane 106-97-8	-	-	= 658 g/m³ (Rat) 4 h
Dimethyl Glutarate	> 5000 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 5.6 mg/L (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min
Dimethyl Adipate 627-93-0	> 5000 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	<u> </u>

Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Serious eye damage/eye irritation

corrosivity

Irritating to eyes. Not applicable.

sensitization

No a skin sensitizer. No information available.

Germ cell mutagenicity Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive toxicity

STOT - single exposure STOT - repeated exposure

No information available. No information available.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

3.88% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

nausea.

ATEmix (oral)

5112 mg/kg

ATEmix (dermal)

10636 mg/kg

ATEmix (inhalation-gas)

7746 mg/l

ATEmix (inhalation-dust/mist)

21.2 mg/l

ATEmix (inhalation-vapor)

165.8 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
· · · · · · · · · · · · · · · · · · ·		-		

· - -		Microorganisms	
2-Butoxyethanol 111-76-2	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Dimethyl Glutarate	19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static		122.1 - 163.5: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

14. Transport Information

DOT

UN/ID no

Limited Quantity

Proper Shipping Name

Consumer Commodity

Hazard Class

ORM-D

IATA

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

IMDG

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

Marine pollutant

This product contains a chemical which is listed as a marine pollutant.

15. Regulatory information

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL

All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %	
2-Butoxyethanol - 111-76-2	111-76-2	5-10	1.0	

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
2-Butoxyethanol 111-76-2	Х	X	X
N-Butane 106-97-8	Х	Х	Х
Propane 74-98-6	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number Not applicable

	the first of the section of	merehyday y gan y meryd;			71 - Amile	V 8 2 7 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	45.1.1.4.2.46.418.468.02.02.2	
- F.		4.04 " m. B. Allen Ball of #65."		16 Other	information.	*N	and the second determined the second second	75.1
- i	÷ ; ;			16. Other	intormation	Mark Street Street		12 m
·	at a second of the contract of	A many and a second sec	T) " (000 (0))			######################################		

Physical and chemical Flammability 1 Instability 1 Health Hazards 2 NFPA properties Not applicable Personal Protection B -Physical hazards 1 Health Hazards 2 Flammability 2 HMIS_ Eyes and hands protection Regulatory Department Prepared by

Issue date

08-May-2019

Revision note This SDS supersedes a previous SDS dated June 10, 2015.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet