TwinSource

SAFETY DATA SHEET

Revision Date: 7/24/2015

Emergency Phone: 1-800-535-5053 (Infotrac)

Section 1: Identification

Product Name: Cling Code: TWN-1200-Q

Chemical Type: Liquid Manufacturer/Supplier:

TwinSource

6820 Shingle Creek Pkwy Brooklyn Center, MN 55430

763-585-1086

Section 2: Hazard(s) Identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture: SKIN CORROSION/IRRITATION - Category 1

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

Label elements

Signal word: DANGER

Hazard statements: Causes severe skin burns and eye damage.





Precautionary Statements

Prevention: Wear protective gloves: > 8 hours (breakthrough time): butyl rubber. Wear eye or face

protection: Recommended: splash goggles. Wear protective clothing: Recommended: safety

apron. Wash hands thoroughly after handling.

Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified:

None known.

Section 3: Composition/Information on Ingredients

Substance or mixture: Mixture

Other means of identification: Not available.

CAS number/other identifiers

CAS number: Not applicable.

| Hazardous Components | | |
|---------------------------|---------|-----------|
| Chemical Name | %weight | CAS |
| Phosphoric acid, solution | 25-Oct | 7664-38-2 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational limits, if available are listed in Section 8.

Section 4: First-Aid Measures

Description of first aid measures

| Eyes | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
|------------|--|
| Inhalation | Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin | Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact | Causes serious eye damage. | |
|--------------|---|--|
| Inhalation | No known significant effects or critical hazards. | |
| Skin contact | Causes severe burns. | |
| Ingestion | No known significant effects or critical hazards. | |

Over-exposure signs/symptoms

| Eye contact | Adverse symptoms may include the following: pain, watering, redness | |
|--------------|---|--|
| Inhalation | No specific data. | |
| Skin contact | Adverse symptoms may include the following: pain or irritation, redness, blistering may occur | |
| Ingestion | Adverse symptoms may include the following: stomach pains | |

Indication of any immediate medical attention needed

| Notes to Physician | Treat symptomatically. Contact poison treatment specialist immediately if large |
|----------------------|--|
| Specific treatment | No specific treatment. |
| Protection of first- | No action shall be taken involving any personal risk or without suitable training. If it is suspected that |
| aiders | fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing |
| | apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash |
| | contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

Extinguishing media

| Suitable extinguishing media | Use an extinguishing agent suitable for the surrounding fire. |
|--|--|
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | |
| Hazardous thermal decomposition products | Decomposition products may include the following materials: phosphorus oxides |
| | |
| Protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the |
| | incident if there is a fire. No action shall be taken involving any personal risk or |
| | without suitable training. |
| Protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained |
| | breathing apparatus (SCBA) with a full face-piece operated in positive pressure |
| | mode. |

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. | |
|-----------------------------|---|--|
| | Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do | |
| | not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate | |
| | ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate | |
| | personal protective equipment. | |

| | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel". | |
|---------------------------|--|--|
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution | |
| | (sewers, waterways, soil or air). | |

Methods and material for containment and cleaning up

| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and |
|-------------|--|
| | place in an appropriate waste disposal container. Dispose of via a licensed waste disposal |
| | contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Approach release from upwind. |
| | Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into |
| | an effluent treatment plant or proceed as follows. Contain and collect spillage with non- |
| | combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and |
| | place in container for disposal according to local regulations (see Section 13). The spilled |
| | material may be neutralized with sodium carbonate, sodium bicarbonate or sodium |
| | hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent |
| | material may pose the same hazard as the spilled product. Note: see Section 1 for emergency |
| | contact information and Section 13 for waste disposal. |

Section 7: Handling and Storage

Precautions for safe handling

| Protective measures | Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on | |
|---------------------------------|--|--|
| | skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the | |
| | material presents a respiratory hazard, use only with adequate ventilation or wear | |
| | appropriate respirator. Keep in the original container or an approved alternative made from a | |
| | compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty | |
| | containers retain product residue and can be hazardous. Do not reuse container. | |
| Advice on general occupational | Eating, drinking and smoking should be prohibited in areas where this material is handled, | |
| hygiene | stored and processed. Workers should wash hands and face before eating, drinking and | |
| | smoking. Remove contaminated clothing and protective equipment before entering eating | |
| | areas. See also Section 8 for additional information on hygiene measures. | |
| Conditions for safe storage | Store in accordance with local regulations. Store in original container protected from direct | |
| including any incompatibilities | sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see | |
| | Section 10) and food and drink. Store locked up. Separate from alkalis. Keep container tightly | |
| | closed and sealed until ready for use. Containers that have been opened must be carefully | |
| | resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use | |
| | appropriate containment to avoid environmental contamination. | |

Section 8: Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

| Phosphoric acid, solution | ACGIH TLV (United States, 4/2014). |
|---------------------------|--|
| | TWA: 1 mg/m³ 8 hours. |
| | STEL: 3 mg/m³ 15 minutes. |
| | OSHA PEL 1989 (United States, 3/1989). |
| | TWA: 1 mg/m³ 8 hours. |
| | STEL: 3 mg/m³ 15 minutes. |
| | NIOSH REL (United States, 10/2013). |
| | TWA: 1 mg/m³ 10 hours. |
| | STEL: 3 mg/m³ 15 minutes. |
| | OSHA PEL (United States, 2/2013). |
| | TWA: 1 mg/m³ 8 hours. |

| Appropriate engineering | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local |
|-------------------------------|---|
| controls | exhaust ventilation or other engineering controls to keep worker exposure to airborne |
| | contaminants below any recommended or statutory limits. |
| Environmental exposure | Emissions from ventilation or work process equipment should be checked to ensure they |
| controls | comply with the requirements of environmental protection legislation. In some cases, fume |
| | scrubbers, filters or engineering modifications to the process equipment will be necessary to |
| | reduce emissions to acceptable levels. |

Individual protection measures

| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, |
|------------------|--|
| | smoking and using the lavatory and at the end of the working period. Appropriate techniques |
| | should be used to remove potentially contaminated clothing. Wash contaminated clothing |
| | before reusing. Ensure that eyewash stations and safety showers are close to the workstation |
| | location. |
| Respiratory | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard |
| | if a risk assessment indicates this is necessary. Respirator selection must be based on known |
| | or anticipated exposure levels, the hazards of the product and the safe working limits of the |
| | selected respirator. |
| Eyes/Face | Safety eyewear complying with an approved standard should be used when a risk assessment |
| | indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If |
| | contact is possible, the following protection should be worn, unless the assessment indicates |
| | a higher degree of protection: chemical splash goggles and/or face shield. If inhalation |
| | hazards exist, a full-face respirator may be required instead. Recommended: splash goggles |
| Hands | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): butyl rubber |

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: safety apron. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 9: Physical and Chemical Properties

Physical state Liquid
Color Pink
Odor Cherry

Odor threshold Not available

pH 1

Melting Point Not available
Boiling Point Not available

Flash Point Closed cup: Not applicable. [Product does not sustain combustion.]

Evaporation rate Not available **Flammability (solid,** Not available

gas)

Lower and upper

Not available

explosive

(flammable) limits

Vapor pressure Not available
Vapor density Not available
Relative density 1.1156

Solubility Easily soluble in cold and hot water.

Partition Not available

coefficient: noctanol/water

Auto-ignition Not available

temperature

Decomposition Not available

temperature

Viscosity Not available

Section 10: Stability and Reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous Under normal conditions of storage and use, hazardous reactions will not occur.

reactions:

Conditions to avoid: No specific data.

Incompatible materials: Attacks many metals producing extremely flammable hydrogen gas which can form explosive

mixtures with air. Reactive or incompatible with the following materials: alkalis

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not

products: be produced.

Section 11: Toxicological Information

Acute toxicity

| Ingredient name | Result | Species | Dose | Exposure |
|---------------------------|-----------|---------|-----------|----------|
| Phosphoric acid, solution | LD50 Oral | Rat | 1.25 g/kg | - |

Irritation/Corrosion

Not available.

Sensitization

Not available

Mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Teratogenicity

Not available

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Inhalation

Potential acute health effects

| Eye contact | Causes serious eye damage. |
|--------------|---|
| Inhalation | No known significant effects or critical hazards. |
| Skin contact | Causes severe burns. |
| Ingestion | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | Adverse symptoms may include the following: pain, watering, redness |
|--------------|---|
| Inhalation | No specific data. |
| Skin contact | Adverse symptoms may include the following: pain or irritation, redness, blistering may occur |
| Ingestion | Adverse symptoms may include the following: stomach pains |

Delayed and immediate effects and chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

Not available

General:
No known significant effects or critical hazards.
Carcinogenicity:
No known significant effects or critical hazards.
Mutagencity:
No known significant effects or critical hazards.
Teratogenicity:
No known significant effects or critical hazards.
Developmental effects:
No known significant effects or critical hazards.
Fertility effects:
No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|--------------|
| Oral | 6127.5 mg/kg |

Section 12: Ecological information

Toxicity

| ngredient name | Result | Species | Exposure |
|---------------------------|--------------------------------|-------------------------|----------|
| Phosphoric acid, solution | Acute EC50 105 ppm Fresh water | Daphnia - Daphnia magna | 48 hrs |
| | | Fish - Lepomis | |
| | Acute LC50 60 ppm Fresh water | macrochirus | 96 hrs |
| | Acute LC50 60 ppm Fresh water | macrocnirus | 96 |

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc): Not available

Other adverse effects: No known significant effects or critical hazards.

Section 13: Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14: Transport information

| | UN | | | | Environmenta | |
|--------------------------|--------|--|---------|------|--------------|---|
| Regulatory info | number | Proper shipping name | Classes | PG | I hazards | Additional info |
| DOT Classification | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | Reportable quantity 24509.8 lbs / 11127.5 kg [2635 gal / 9974.4 L] Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements. Limited quantity Yes. |
| TDG Classification | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | Explosive Limit and Limited Quantity Index 5 |
| Mexico Classification | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | - |
| ADR/RID Class | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | Tunnel code (E) |
| IMDG Class | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | - |
| IATA-DGR Class | 1760 | Corrosive liquid, n.o.s. (Phosphoric acid, solution) | 8 | III. | No. | - |

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Not available

Annex II of MARPOL 73/78 and

the IBC Code:

Section 15: Regulatory information

U.S. Federal regulations TSCA 4(a) proposed test rules: Quaternary ammonium compounds, benzylC12-16-

alkyldimethyl, chlorides

TSCA 8(a) PAIR: benzaldehyde

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Not determined.

Clean Water Act (CWA) 311: Phosphoric acid, solution

Clean Air Act Section 112(b)

Hazardous Air Pollutants

(HAPs)

Not Listed

Clean Air Act Section 602 Class Not Listed

I Substances

Clean Air Act Section 602 Class Not Listed

II Substances

DEA List I Chemicals (Precursor Not Listed

Chemicals)

DEA List II Chemicals (Essential Not Listed

Chemicals)

SARA 302/304 No products found

Not applicable. SARA 304 RQ

SARA 311/312

Classification

Immediate (acute) health hazard

Composition/information on ingredients

| | | | | | | Delayed |
|---------------------------|---------|-------------|------------|----------|----------------|-----------|
| | | | Sudden | | Immediate | (chronic) |
| | | | release of | | (acute) health | health |
| Name | % | Fire hazard | pressure | Reactive | hazard | hazard |
| Phosphoric acid, solution | 10 - 25 | No. | No. | No. | Yes. | No. |

State regulations

Massachusetts: The following components are listed: PHOSPHORIC ACID **New York:** The following components are listed: PHOSPHORIC ACID **New Jersey:** The following components are listed: PHOSPHORIC ACID **Pennsylvania:** The following components are listed: PHOSPHORIC ACID

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not Listed

Montreal Protocol (Annexes A, B, C, E)

Not listed

Stockholm Convention on Persistent Organic Pollutants

Not listed

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed

International Lists:

National Inventory

Not determined. Australia Canada Not determined. China Not determined. Europe Not determined. Japan Not determined. Not determined. Malaysia **New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined. **Taiwan** Not determined.

Section 16: Other information


Hazardous Material Information System (U.S.A.):



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association:



Reprinted with permission from NFPA 704-2001, Identification of the nazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

| Classification | Justification |
|--------------------|-----------------------|
| Skin Corr. 1, H314 | On basis of test data |
| Eye Dam. 1, H318 | On basis of test data |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist