



**INNOVATIVE
CHEMICAL
CORPORATION**

7769 95th Street South
Cottage Grove, MN 55016

SAFETY DATA SHEET

Revision Date: 8/5/2015
Emergency Phone: 1-800-535-5053 (Infotrac)

Section 1: Identification

Product Name: Quatsan **Code:** 98PQS00
Chemical Type: Liquid **Manufacturer/Supplier:**
Innovative Chemical Corporation
7769 95th Street South
Cottage Grove, MN 55016
651-649-1762

Section 2: Hazard(s) Identification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements

Signal word: Danger
Hazard statements: Causes severe skin burns and eye damage



Precautionary Statements

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: Immediately call a POISON CENTER or doctor/physician. Specific Measures (see the appropriate section of the SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Storage: Store locked up

Disposal: Dispose of contents/container to an approved waste disposal plant

Unknown Acute Toxicity: 5% of the mixture consists of ingredient(s) of unknown toxicity

Section 3: Composition/Information on Ingredients

CAS number/other identifiers

Hazardous Components		
Chemical Name	%weight	CAS
Water	60-100	7732-18-5
Alkyl dimethyl ethyl benzyl ammonium chloride 6	3-7	68956-79-6
Alkyl dimethyl benzyl ammonium chloride	3-7	68391-01-5
Ethanol	1-5	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational limits, if available are listed in Section 8.

Section 4: First-Aid Measures

Description of first aid measures

Skin Contact	Wash off immediately with plenty of water. Wash skin with soap and water.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.
-----------------	--

Indication of any immediate medical attention needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

See toxicological information (Section 11)

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No Information available.
Explosion data	Sensitivity to Mechanical Impact: None.
	Sensitivity to Static Discharge: None.
Protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.
-----------------------------	--

Environmental precautions	See Section 12 for additional ecological information.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

Section 7: Handling and Storage

Precautions for safe handling

Advice on general occupational hygiene	Handle in accordance with good industrial hygiene and safety practice.
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	None known based on information supplied.

Section 8: Exposure Controls/Personal Protection

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m3	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m3

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
--------------------------	---

Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
-----------------------------	--

Individual protection measures

Eye/face protection	Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

Section 9: Physical and Chemical Properties

Physical state	Liquid
Color	Clear
Odor	None Added

Odor threshold No Information available

pH 12

Specific Gravity 0.995

Viscosity < 25 cP @ 25°C

Melting No Information available

point/freezing point

Flash point above 200F

Boiling point / < 212 ° F

boiling range

Evaporation rate No Information available

**Flammability (solid,
gas)**

**Flammability Limits
in Air**

Upper flammability Not Applicable
limit:

Lower flammability Not Applicable
limit:

Vapor pressure No Information available

Vapor density No Information available

Water solubility Complete

Partition coefficient No Information available

Autoignition No Information available
temperature

Decomposition No Information available
temperature

Density Lbs/Gal 8.29

VOC Content (%) 1.25

Section 10: Stability and Reactivity

Reactivity: No data available

Chemical stability: Stable under recommended storage conditions.

**Possibility of hazardous
reactions:** None under normal processing.

Conditions to avoid: Extremes of temperature and direct sunlight.

Incompatible materials: None known based on information supplied.

**Hazardous decomposition
products:** None known based on information supplied.

Section 11: Toxicological Information

Information on likely routes of exposure

Product Information	Harmful by inhalation, ingestion, in contact with eyes and skin.
Inhalation	Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause severe irritation or burns to the respiratory tract.
Eye contact	Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl dimethyl benzyl ammonium chloride	= 500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Information on toxicological

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available.

Germ cell mutagenicity No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No Information available.

STOT - single exposure No Information available.

STOT - repeated exposure No Information available.

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin.

Target organ effects Blood, Central nervous system, EYES, Liver, Reproductive System, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 5% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Section 12: Ecological information

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
---------------	----------------------	------	-----------

Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
---------	---	---	---

Persistence and degradability

Not available.

Bioaccumulative potential

Bioaccumulative potential.

Chemical Name	Partition Coefficient
Ethanol	-0.32

Other adverse effects

Not available.

Section 13: Disposal considerations**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic Ignitable

Section 14: Transport information

Regulatory info	UN number	Proper shipping name	Classes	PG	Environmental hazards	Additional info
DOT Classification	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		
TDG Classification	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		
Mexico Classification	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		
ADR/RID Class	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		
IMDG Class	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		

IATA-DGR Class	1903	Disinfectants, liquid, corrosive, n.o.s.	8	III.		
----------------	------	---	---	------	--	--

Section 15: Regulatory information

International Inventories

TSCA Complies

DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No.
Chronic Health Hazard	No.
Fire hazard	No.
Sudden release of pressure hazard	No.
Reactive Hazard	No.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 3355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	x	x	x

U.S. EPA Label Information

EPA Pesticide Registration Number 10324-63-8370

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

Section 16: Other information


Hazardous Material Information System (U.S.A.):

Health	*1
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association:



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist