SAFETY DATA SHEET

Date Prepared: 05/13/2015

SDS No: Triple S_Turn Around

SSS Turn Around Spray Buff

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SSS Turn Around Spray Buff GENERAL USE: Floor surface gloss restorer PRODUCT DESCRIPTION: Spray Buff

PRODUCT CODE: 48106

CHEMICAL FAMILY: Acrylic/wax Blend

MANUFACTURED FOR

Triple S 2 Executive Park Drive Billerica, MA 01862 http://www.triple-s.com

Customer Service: 978-667-7900

24 HR. EMERGENCY TELEPHONE NUMBERS

888-779-1339

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Irritation, Category 3 Eye Irritation, Category 2B

GHS LABEL

SIGNAL WORD: WARNING HAZARD STATEMENTS

Causes eye irritation. Causes mild skin irritation. May be harmful if swallowed.

PRECAUTIONARY STATEMENT(S)

Prevention:

Do not get in eyes, on skin, or on clothing.

Keep out of reach of children.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

Store in a closed container.

Disposal:

Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: White opaque liquid

IMMEDIATE CONCERNS: Eye irritant

POTENTIAL HEALTH EFFECTS

EYES: Contact causes eye irritation.

SKIN: Skin irritant with prolonged or repeated contact.

SKIN ABSORPTION: None Expected.

INGESTION: Although of moderate to low toxicity, ingestion can cause gastrointestinal irritation, nausea, vomiting, diarrhea,

and possible death.

INHALATION: None Expected. **REPRODUCTIVE TOXICITY**

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: No listed substance

MUTAGENICITY: None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggrevated.

ROUTES OF ENTRY: Ingestion, eye WARNING CAUTION LABELS: Irritant PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt.% | CAS |
|--------------------------------------|---------|------------|
| Secondary Alcohol Ethoxylate | 0 - 5 | 84133-50-6 |
| Dipropylene glycol monomethyl ether | 0 - 5 | 34590-94-8 |
| Acrylate Copolymer | 0 - 1 | N/A |
| 2,5-furandione, polymer with propene | 0 - 2 | 25722-45-6 |
| Isopropanol | 0 - 2 | 67-63-0 |
| Fragrance | < 0.5 | N/A |
| Water | 80 - 85 | 7732-18-5 |

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Prolonged contact will cause irritation marked by redness, burning sensation.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: Not Established

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable GENERAL HAZARD: NA = Not Applicable

EXTINGUISHING MEDIA: Not required. Water based material.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

| OCHA HA | ZARDOUS COM | IDONIENTO | 2 (20 CED10 | 110 1200\ | | | | |
|-------------------------------------|-------------|-----------------|-------------|-----------|-------|--------------|-------|--|
| ОЭПА ПА | ZANDOUS COM | IPONENTS |) (29 CFN I | 910.1200) | | | | |
| | | EXPOSURE LIMITS | | | | | | |
| | | OSHA PEL | | ACGIH TLV | | Supplier OEL | | |
| Chemical Name | | ppm | mg/m³ | ppm | mg/m³ | ppm | mg/m³ | |
| Dipropylene glycol monomethyl ether | TWA | 100 | 600 | 100 | 606 | | | |
| | STEL | | | 150 | 909 | | | |
| Isopropanol | TWA | 400 | 980 | 200 | 490 | NL | NL | |
| | STEL | | | 400 | 960 | NL | NL | |

ENGINEERING CONTROLS: No special requirements.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields.

SKIN: Rubber or other chemical resistant gloves.

PROTECTIVE CLOTHING: No special requirements.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Fresh linen

ODOR THRESHOLD: Not Established

APPEARANCE: Milky

COLOR: White **pH:** 7.7 to 8.7

PERCENT VOLATILE: 90+

FLASH POINT AND METHOD: None

FLAMMABLE LIMITS: N/A

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: ≤ 20 mm Hg at (68°F)

VAPOR DENSITY: Not Available BOILING POINT: ~ 100°C (212°F) FREEZING POINT: 32° F; 0° C MELTING POINT: Not Available

THERMAL DECOMPOSITION: Not Available

SOLUBILITY IN WATER: Complete **EVAPORATION RATE:** (Water =1) 1.0

DENSITY: 8.27 at (68°F)

SPECIFIC GRAVITY: 0.99 grams/ml.

VISCOSITY: Water thin. (VOC): 5.250 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

HAZARDOUS POLYMERIZATION: No CONDITIONS TO AVOID: Not Established

POSSIBILITY OF HAZARDOUS REACTIONS: None Expected.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.

INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

| Chemical Name | ORAL LD ₅₀ (rat) | DERMAL LD ₅₀ (rabbit) | INHALATION LC ₅₀ (rat) |
|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------------|
| Secondary Alcohol Ethoxylate | > 412 mg/kg (rat) | > 14000 mg/kg (rabbit) | 1.06 mg/l (Rat), Aerosol |
| Dipropylene glycol monomethyl ether | > 5000 mg/kg (rat) | 9510 mg/kg (rabbit) | |
| Isopropanol | 5045 mg/kg (rat) | 12800 mg/kg (rabbit) | 16000 ppm |

EYES: Not Established

DERMAL LD₅₀: Not Established

SKIN ABSORPTION: None Expected.

ORAL LD₅₀: Not Established

INHALATION LC₅₀: Not Established

EYE EFFECTS: Moderate to severe eye irritant.

SKIN EFFECTS: May irritate skin with prolonged or repeated contact.

IRRITATION: Irritant

SENSITIZATION: No known significant effects or critical hazards.

REPRODUCTIVE EFFECTS: No known significant effects or critical hazards.

MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: Not Established

AQUATIC TOXICITY (ACUTE): Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Small amounts (less than 5 gallons) may be disposed of in sanitary sewer. Consult local authorities for additional disposal information.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: See above.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

AIR (ICAO/IATA)

SHIPPING NAME: Cleaning Compound, not regulated.

VESSEL (IMO/IMDG)

SHIPPING NAME: Cleaning Compound, not regulated.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: NA = Not Applicable

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable
TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS


| Chemical Name | Requirements |
|-------------------------------------|---|
| Dipropylene glycol monomethyl ether | Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance |
| Isopropanol | Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance |

CALIFORNIA PROPOSITION 65: None **CARCINOGEN:** No listed substance

16. OTHER INFORMATION

PREPARED BY: Regulatory Affairs Department Date Prepared: 05/13/2015





MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.